



Chair: Lyndon Williams

**SUB-COMMITTEE ON CAPITAL PROJECTS  
AGENDA**

Date: Wednesday February 20<sup>th</sup> @ 4:30pm

**Public Safety:** (C1) BPS12 – New Public Safety Headquarters (B&A, PSS) Legislative District # 3

**DEFERRED**

**DPW:** (C10) RB096 – Lexington Ave. CR22, Mount Kisco (B&A, GO) Legislative District # 2

**Current Bond Description:**

Funding is being requested for construction in connection with the rehab, of approx. 1.17 miles of roadway on Lexington Avenue. Work will include resurfacing the asphalt roadway. Curbing, pavement marking from Armonk (Route 128) to Lieto Drive

**Amt. Requested:** \$2,235,000

**PPU:** 15 years

**SEQR Classification:** Type II

**DPW:** (C11) RB2JJ – Armonk Road Connector over Broadway (B&A, GO) Legislative District # 3

**Current Bond Description:**

Funding is being requested for construction in connection with the rehab, of a bridge on Armonk Road Connector over Broadway. Work will include waterproofing and repairs to the concrete arch, new wearing surface, curbs etc.

**Amt. Requested:** \$1,410,000

**PPU:** 20 years

**SEQR Classification:** Type II

**DPW:** (C12) RKD01 – Kensico Dam Infrastructure (B&A, GO) Legislative District # 3

**Current Bond Description:**

Funding is requested for a design of a new electrical service at the Kensico Dam Plaza. The work will consist of relocation to the primary service and transformer and secondary power distribution; New Light fixtures and associated site-work.

**Amt. Requested:** \$350,000

**PPU:** 5 years

**SEQR Classification:** Type II

**DPW:** (C13) B0071 – Building Management Systems- Mod (B&A, GO) Legislative District # 1, 3, 5, 13

**Current Bond Description:**

Funding is being requested for design and construction management to modify and upgrade, or replace the building systems and all related work at DPW facilities.

**Amt. Requested:** \$1,100,000

**PPU:** 5 years

**SEQR Classification:** Type II

**Planning:** (C14) BPL21 – Water Quality Improvements (B&A, EE) Legislative District #7

**Current Bond Description:**

Bonding is being requested for the project design of the low and high marsh habitat area and self regulating tide gates at Manursing Lake’s southern outlets.

**Amt. Requested:** \$200,000

**PPU:** 5 years

**SEQR Classification:** Type II

**D. E. F.** (C15) SW070 – Flow Monitoring – Yonkers District (B&A, GO) Legislative District # 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17

**Current Bond Description:**

Funding is being requested for the maintenance and replacement. As necessary, for existing flow monitoring equipment in Yonkers.

**Amt. Requested:** \$1,450,000

**PPU:** 20 years

**SEQR Classification:** Type II

**D. E. F.** (C16) SW070 – Flow Monitoring – Long Island District (B&A, GO) Legislative District # 2, 3, 5, 6, 7, 10, 11

**Current Bond Description:**

Funding is being requested for the purchaser installation and for consent order required existing flow monitoring equipment..

**Amt. Requested:** \$5,700,000

**PPU:** 20 years

**SEQR Classification:** Type II